

View Online at <https://aerobasegroup.com/nsn/5930-01-524-9103>

Overall Length:

1.260 inches

Overall Height:

0.500 inches

Body Diameter:

0.640 inches

Mounting Slot Width:

0.140 inches

Body Height:

0.325 inches

Unthreaded Mounting Hole Diameter:

0.140 inches

Distance Between Mounting Facility Centers:

0.937 inches

Temperature Sensing Element Type:

Internal sensor

Operating Temperature Rating:

Between -65.0 degrees fahrenheit and 500.0 degrees fahrenheit

Mounting Method:

Unthreaded hole and slot

Features Provided:

Hermetically sealed case

Contact Action Stimulus:

Increase

Mounting Facility Pattern:

Two position in-line

Nonpile-up Contact Arrangement:

1 pole, single throw, both positions maintained

Terminal Type:

Tab, solder lug

Contact Adjustability:

Actuation point not adjustable and deactuation point not adjustable

Contact Stimulus Rating:

150.00 actuation point degrees fahrenheit and 100.00 deactuation point degrees fahrenheit and -10.00 actuation point degrees fahrenheit and 5.00 deactuation point degrees fahrenheit

Special Features:

Type1 class 4 configuration a1, subminiature bimetallic smap action make and break operation

Media For Which Designed:

Gas or liquid

Style Designator:

Disc w/flange

Specification Data:

81349 - mil-prf-24236/1 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0

Mil-std (military Standard):

Mil-prf-24236 spec.