NSN 5930-01-541-4225

Flow Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-541-4225 **Overall Length:** 8.000 inches **Overall Diameter:** 0.750 inches **End Application:** Filter seperator, lube oil 741141 **Operating Tempurature Rating:** Between -4.0 degrees fahrenheit and 220.0 degrees fahrenheit **Mounting Method:** Threaded hole **Contact Action Stimulus:** Increase Thread Size: 0.500 inches single threaded hole **Nonpile-up Contact Arrangement:** 1 pole, double throw, both positions maintained **Terminal Type:** Wire lead **Contact Load Current Rating:** 5.0 amperes resistive load second voltage **Contact Adjustability:** Actuation point not adjustable **Contact Stimulus Rating:** 1.50 actuation point gallons per minute and 1.00 deactuation point gallons per minute **Contact Voltage Rating In Volts:** 250.0 ac at sea level second voltage **Product Name:** Flow switch **Special Features:** Switch includes the .500 in. Npt tee; upper body material: brass; lower body material: stainless steel; tee material: stainless steel Media For Which Designed: Liquid or gas **Style Designator:** Cylindrical **Thread Series Designator:** Npt single threaded hole Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 5930-01-541-4225

Flow Switch - Page 2 of 2



Fiig:

A048b0