NSN 5935-00-001-7278

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-001-7278 **Body Style:** Straight shape **Overall Length:** 1.485 inches **Overall Height:** 0.371 inches **Overall Width:** 0.215 inches **Environmental Protection:** Moisture proof and salt water resistant and vibration resistant **Unthreaded Mounting Hole Diameter:** Between 0.089 inches and 0.094 inches **Distance Between Mounting Facility Centers:** Between 1.265 inches and 1.275 inches **Mating End Quantity: Contact Position Arrangement Style:** 37 single mating end **Contact Removability:** Removable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 3.0 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 1000.0 single mating end single contact grouping **Polarization Method:** Mating end Shell Type: Solid **Connector Locking Method:** Friction **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping

Insert Material:
Plastic single mating end

Terminal Type:

Wire wrap single mating end single contact grouping

Shell Material:

Plastic epoxy

NSN 5935-00-001-7278

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment:
Aluminum
Included Contact Quantity:
37 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.037 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A039b0