## NSN 5935-00-001-8471

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-001-8471 **Body Style:** Straight shape **Overall Length:** 2.063 inches **Overall Height:** 1.141 inches **Overall Width:** 1.625 inches **Unthreaded Mounting Hole Diameter:** 0.156 inches **Distance Between Mounting Facility Centers:** 1.750 inches **Mating End Quantity: Contact Position Arrangement Style:** "3, 5-15" single mating end **Contact Removability:** Nonremovable single mating end all contact groupings **Contact Maximum Current Rating In Amps:** 15.0 single mating end all contact groupings **Contact Maximum Ac Voltage Rating In Volts:** 250.0 single mating end all contact groupings **Contact Maximum Dc Voltage Rating In Volts:** 250.0 single mating end all contact groupings **Polarization Method:** Contact Shell Type: Solid **Terminal Location:** Back single mating end all contact groupings **Contact Material:** Copper alloy single mating end all contact groupings **Insert Material:** Plastic phenolic single mating end **Criticality Code Justification:** Feat **Terminal Type:** Screw single mating end all contact groupings **Shell Material:** Steel

**Shell Surface Treatment:** 

Cadmium

# NSN 5935-00-001-8471

Electrical Receptacle Connector - Page 2 of 2



Insert	Material	Specifica	ation:
ロロンセロレ	waterial	ODECITIC	auvii.

Mil-m-14 military specification single material response single mating end

### **Included Contact Quantity:**

2 single mating end 2nd contact grouping

### **Included Contact Type:**

Flat socket single mating end 2nd contact grouping

### **Special Features:**

Item must comply with requirements of defense electronics supply center production standard no. L00668

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.