Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-006-3782

Thread Class:
2a
Thread Direction:
Right-hand
Body Style:
Straight shape, internal coupling w/backshell
Overall Length:
0.976 inches
Overall Diameter:
1.656 inches
Environmental Protection:
Moisture proof and salt water resistant and vibration proof
Threaded Device Type:
Back shell
Mating End Quantity:
1
Contact Position Arrangement Style:
22-55 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Ac Voltage Rating In Volts:
500.0 single mating end single contact grouping
Contact Maximum Dc Voltage Rating In Volts:
700.0 single mating end single contact grouping
Polarization Method:
Keyway or multiple keyway
Insert Position In Deg:
226.0
Shell Type:
Solid
Connector Locking Method:
Bayonet latch
Thready Qty Per Inch (tpi):
18
Thread Size:
0.312 inches
Terminal Location:
Back single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping
Contact Surface Treatment Specification:
Mil-g-45204 type 1, cl 1, grade c military specification 1st treatment response single mating end single

Mil-g-45204 type 1, cl 1, grade c military specification 1st treatment response single mating end single contact grouping and qq-n-290 grade e federal specification 2nd treatment response single mating end single contact grouping

NSN 5935-00-006-3782 Electrical Plug Connector - Page 2 of 2



Solo	der well single mating end single contact grouping
She	ell Material:
Alu	minum alloy
She	ell Surface Treatment:
Cac	dmium
She	ell Surface Treatment Specification:
Qq-	p-416 type 2, cl 3 federal specification single treatment response
She	ell Material Specification:
Qq-	a-591 federal specification single material response
Incl	luded Contact Quantity:
55 s	single mating end single contact grouping
Incl	luded Contact Type:
Rou	und pin single mating end single contact grouping
Pre	cious Material And Location:
Cor	ntact surfaces gold
Pre	cious Material And Weight:
0.0	55 gold grains, troy
Pre	cious Material:
Gol	d
Thr	ead Series Designator:
Une	əf
She	elf Life:
N/a	
Uni	t Of Measure:
Der	nilitarization:
No	
Fiig	j:
A03	3960
Mil-	-std (military Standard):
Mil-	g-45204 spec.