NSN 5935-00-007-7452

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-007-7452 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Straight shape **Overall Length:** Between 2.714 inches and 2.744 inches **Overall Height:** 0.660 inches **Overall Width:** Between 0.479 inches and 0.509 inches **Unthreaded Mounting Hole Diameter:** 0.112 inches **Distance Between Mounting Facility Centers:** Between 2.495 inches and 2.505 inches **Threaded Device Type:** Mounting hole **Mating End Quantity: Contact Position Arrangement Style:** 13w6 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 5.0 single mating end single contact grouping **Polarization Method:** Mating end Shell Type: Solid Thread Length: 0.129 inches **Thread Size:** 0.112 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold and silver single mating end single contact grouping

Insert Material:

Plastic diallyl phthalate single mating end

NSN 5935-00-007-7452 Electrical Receptacle Connector - Page 2 of 2



| Terminal Type: |
|---|
| Solder well single mating end single contact grouping |
| Shell Material: |
| Steel |
| Shell Surface Treatment: |
| Cadmium and chromate |
| Insert Material Specification: |
| Mil-m-19833, type gdi-30f military specification single material response single mating end |
| Included Contact Quantity: |
| 7 single mating end single contact grouping |
| Included Contact Type: |
| Round pin single mating end single contact grouping |
| Precious Material And Location: |
| Contact surface gold and contact surface silver |
| Precious Material And Weight: |
| 0.007 gold grains, troy and 0.007 silver grains, troy |
| Precious Material: |
| Gold and silver |
| Thread Series Designator: |
| Unc |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A039b0 |
| Mil-std (military Standard): |
| Mil-m-19833 spec. |
| |