

NSN 5935-00-008-1934 Electrical Receptacle Connector - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5935-00-008-1934 **Thread Class:** 2b **Thread Direction:** Right-hand

**Body Style:** 

Right angle, type

**Overall Length:** 

Between 7.590 inches and 7.650 inches

**Overall Height:** 

Between 0.530 inches and 0.550 inches

**Body Width:** 

Between 0.516 inches and 0.526 inches

**Distance Between Mounting Facility Centers:** 

Between 6.762 inches and 6.782 inches

**Threaded Device Type:** 

Mounting hole

1

**Mating End Quantity:** 

**Contact Position Arrangement Style:** 

1 row of contacts non-inserted board single mating end

**Contact Removability:** 

Nonremovable single mating end 1st contact grouping

**Contact Maximum Current Rating In Amps:** 

3.0 single mating end 1st contact grouping

**Polarization Method:** 

Contact

**Connector Locking Method:** 

Spring friction

Thready Qty Per Inch (tpi):

40

**Thread Size:** 

0.112 inches

**Terminal Location:** 

Side single mating end 1st contact grouping

**Contact Material:** 

Copper alloy single mating end 1st contact grouping

**Contact Surface Treatment:** 

Gold single mating end 1st contact grouping

**Insert Material:** 

Plastic diallyl phthalate single mating end

**Contact Surface Treatment Specification:** 

Mil-g-45204, type ii, grade c, class 1 military specification single treatment response single mating end 1st contact grouping

## NSN 5935-00-008-1934

**Criticality Code Justification:** 

Electrical Receptacle Connector - Page 2 of 2



Схср
Terminal Type:
Pin single mating end 1st contact grouping
Contact Material Specification:
Qq-c-533 federal specification single material response or qq-b-750 federal specification single material response single mating end 1st
contact grouping
Insert Material Specification:
Mil-m-14, type sdg-f military specification single material response single mating end
Included Contact Quantity:
17 single mating end 1st contact grouping
Included Contact Type:
Leaf spring single mating end 1st contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.017 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):
Mil-g-45204 spec.