## NSN 5935-00-015-9518

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-015-9518

**Body Style:** 

Rectangular shape

**Overall Length:** 

Between 6.320 inches and 6.440 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

Between 5.934 inches and 5.942 inches

**Overall Width:** 

Between 3.690 inches and 3.810 inches

**Unthreaded Mounting Hole Diameter:** 

Between 0.191 inches and 0.201 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 1.996 inches and 2.004 inches

**Mating End Quantity:** 

1

**Contact Removability:** 

Nonremovable single mating end all contact groupings

**Contact Maximum Current Rating In Amps:** 

22.0 single mating end 2nd contact grouping

**Contact Maximum Ac Voltage Rating In Volts:** 

500.0 single mating end all contact groupings

**Contact Maximum Dc Voltage Rating In Volts:** 

700.0 single mating end all contact groupings

**Polarization Method:** 

Contact

Shell Type:

Solid

**Connector Locking Method:** 

Friction

**Terminal Location:** 

Back single mating end all contact groupings

**Contact Material:** 

Copper alloy single mating end all contact groupings

**Contact Surface Treatment:** 

Gold and copper alloy single mating end all contact groupings

**Insert Material:** 

Plastic and plastic epoxy single mating end

**Contact Surface Treatment Specification:** 

Mil-g-45204, type 2, cl 2 military specification 1st treatment response single mating end all contact groupings and mil-c-14550, cl 4 military specification 2nd treatment response single mating end all contact groupings

**Terminal Type:** 

Solder well single mating end 2nd contact grouping

**Contact Material Specification:** 

Qq-b-626, comp 22, 1/2 hard federal specification single material response single mating end all contact groupings

## NSN 5935-00-015-9518

Electrical Receptacle Connector - Page 2 of 2



Shell Material:
Aluminum alloy
Shell Surface Treatment:
Anodize
Shell Material Specification:
Qq-a-591, comp 10 federal specification single material response
Insert Material Specification:
Mil-p-18177, ty geb military specification all material responses single mating end
Included Contact Quantity:
87 single mating end 2nd contact grouping
Included Contact Type:
Round socket single mating end 2nd contact grouping
Special Features:
Item has ten mtg holes
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.098 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):
Mil-g-45204 spec.