## NSN 5935-00-027-7401

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-027-7401 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape **Overall Length:** 2.000 inches **Overall Height:** 1.109 inches **Overall Width:** 0.438 inches **Distance Between Mounting Facility Centers:** 1.694 inches **Threaded Device Type:** Mounting stud **Mating End Quantity:** 1 **Contact Removability:** Nonremovable single mating end all contact groupings **Contact Maximum Current Rating In Amps:** 5.0 single mating end all contact groupings **Contact Maximum Dc Voltage Rating In Volts:** 3.0 single mating end 1st contact grouping **Polarization Method:** Guide pin/socket Radio Frequency Type Contact Characteristic Impedance In Ohms: 53.0 single mating end all contact groupings Thread Length: 0.266 inches **Thread Size:** 0.112 inches **Terminal Location:** Back single mating end all contact groupings **Contact Surface Treatment:** Gold single mating end all contact groupings and silver single mating end all contact groupings **Insert Material:** Plastic melamine mineral filled all mating ends **Terminal Type:** Solder well single mating end all contact groupings

**Included Contact Quantity:** 

2 single mating end 2nd contact grouping

## NSN 5935-00-027-7401

Electrical Receptacle Connector - Page 2 of 2



Included Contact Type:
Round socket single mating end 1st contact grouping
Precious Material And Location:
Contact sufrace gold and contact surface silver
Precious Material:
Gold and silver
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A039b0