NSN 5935-00-045-1181

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-045-1181 **Body Style:** Straight shape **Overall Length:** 2.661 inches **Overall Height:** 0.563 inches **Overall Width:** 0.645 inches **Environmental Protection:** Corrosion resistant and thermal shock resistant and vibration resistant **Unthreaded Mounting Hole Diameter:** Between 0.125 inches and 0.130 inches **Distance Between Mounting Facility Centers:** 2.406 inches **Mating End Quantity: Contact Position Arrangement Style:** 50 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 5.0 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 500.0 single mating end single contact grouping **Polarization Method:** Mating end Shell Type: Solid **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and silver single mating end single contact grouping **Insert Material:** Plastic polyamide single mating end **Terminal Type:** Solder well single mating end single contact grouping **Shell Material:**

Steel

Shell Surface Treatment:

Cadmium and chromate

NSN 5935-00-045-1181

Electrical Receptacle Connector - Page 2 of 2



Included Contact Quantity:

50 single mating end single contact grouping

Included Contact Type:

Round socket single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold and contact surfaces silver

Precious Material And Weight:

0.050 gold grains, troy and 0.050 silver grains, troy

Precious Material:

Gold and silver

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0