

View Online at <https://aerobasegroup.com/nsn/5935-00-051-1803>

Body Material:

Plastic

Body Style:

Press fit

Fabrication Method:

Molded

Overall Length:

Between 0.447 inches and 0.453 inches

Temperature Rating:

100.0 degrees celsius

Overall Height:

0.520 inches

Overall Width:

Between 0.213 inches and 0.223 inches

Body Mounting Hole Accommodation Length:

Between 0.447 inches and 0.453 inches

Body Mounting Hole Accommodation Width:

Between 0.153 inches and 0.159 inches

Mounting Hole Style:

Rectangular

Contact Resistance In Ohms:

0.015

Specific Equipment Accommodated:

Electron tube

Contact Maximum Current Rating In Amps:

1.0

Contact Material:

Beryllium copper

Contact Surface Treatment:

Gold and copper

Accommodated Contact Quantity:

7

Polarization Type:

Off center hole

Projection Length Above Mounting Surface:

Between 0.057 inches and 0.067 inches

Mounting Method:

Press fit

Mounting Type For Which Designed:

Chassis

Contact Position Arrangement Style:

Subminiature in line

Contact Maximum Voltage In Volts And Current Type:

300.0 ac and 300.0 dc

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.007 gold grains, troy

Precious Material:

Gold

Test Data Document:

81349-mil-s-12883 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

7 tab, solder lug

Specification Data:

81349-mil-s-12883/14 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A02300