NSN 5935-00-053-1289

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-053-1289 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Pcb, external coupling **Overall Length:** 0.500 inches **Overall Height:** 0.328 inches **Overall Width:** 0.328 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 0.200 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.200 inches **Threaded Device Type:** Coupling facility **Mating End Quantity: Contact Position Arrangement Style:** Nonstd single mating end **Contact Removability:** Nonremovable single mating end single contact grouping Shell Type: Solid **Connector Locking Method:** Externally threaded shell Radio Frequency Type Contact Characteristic Impedance In Ohms: 70.0 single mating end single contact grouping Thready Qty Per Inch (tpi): 32 **Thread Size:** 0.216 inches Back single mating end single contact grouping Silver single mating end single contact grouping

Terminal Location: Contact Surface Treatment: Insert Material: Plastic single mating end **Terminal Type:** Pin single mating end single contact grouping

NSN 5935-00-053-1289

Electrical Receptacle Connector - Page 2 of 2



Shell Material:
Copper alloy
Shell Surface Treatment:
Silver
Included Contact Quantity:
1 single mating end single contact grouping
Included Contact Type:
Coaxial socket single mating end single contact grouping
Precious Material And Location:
Contacts and body surfaces silver
Precious Material And Weight:
0.105 silver grains, troy
Precious Material:
Silver
Thread Series Designator:
Unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0