

NSN 5935-00-056-2976 Electrical Receptacle Connector Body - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/5935-00-056-2976
Thread Class:
2a and 2a
Thread Direction:
Right-hand and right-hand
Body Style:
Straight shape threaded
Overall Length:
1.710 inches
Overall Diameter:
2.500 inches
Environmental Protection:
Moisture resistant and salt water resistant and vibration resistant
Distance From Mounting Shoulder To Front Face:
1.429 inches
Mounting Facility Thickness:
0.250 inches
Threaded Device Type:
Coupling facility and mounting bushing
Mating End Quantity:
1
Contact Position Arrangement Style:
20-33 single mating end
Polarization Method:
Keyway or multiple keyway
Insert Position In Deg:
250.0
Shell Type:
Calid

Solid

#### **Connector Locking Method:**

Externally threaded shell

## Thready Qty Per Inch (tpi):

6 and 18

#### **Thread Size:**

1.750 inches and 1.875 inches

#### **Insert Material:**

Plastic phenolic single mating end

#### **Shell Material:**

Aluminum alloy

## **Shell Surface Treatment:**

Cadmium

# **Shell Surface Treatment Specification:**

Qq-p-416, type 2, class c federal specification single treatment response

# NSN 5935-00-056-2976

Electrical Receptacle Connector Body - Page 2 of 2



Mil-m-14, ty mfe military specification single material response single mating end

**Bushing Accommodation Hole Shape:** 

Round

**Thread Series Designator:** 

Un and uns

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.