## NSN 5935-00-060-6247

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-060-6247 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Straight shape, flush mount **Overall Length:** 1.061 inches **Overall Height:** 3.075 inches **Overall Width:** 2.000 inches Center To Center Distance Between Mounting Facilities Parallel To Height: Between 2.778 inches and 2.788 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: Between 1.432 inches and 1.442 inches **Distance From Mounting Shoulder To Front Face:** 0.060 inches **Threaded Device Type:** Mounting hole **Mating End Quantity:** 2 **Contact Position Arrangement Style:** 67 all mating ends **Contact Removability:** Removable all mating ends all contact groupings **Contact Maximum Current Rating In Amps:** 7.5 2nd mating end 2nd contact grouping Shell Type: Solid **Thread Size:** 0.112 inches **Terminal Location:** Back all mating ends all contact groupings **Contact Material:** Copper alloy all mating ends all contact groupings **Contact Surface Treatment:** Gold all mating ends all contact groupings and silver all mating ends all contact groupings **Insert Material:** Plastic diallyl phthalate all mating ends **Terminal Type:** Crimp all mating ends all contact groupings

## NSN 5935-00-060-6247

Electrical Receptacle Connector - Page 2 of 2



Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium and chromate
Included Contact Quantity:
64 2nd mating end 2nd contact grouping
Included Contact Type:
Round pin all mating ends all contact groupings
Special Features:
Polarized at position 8
Precious Material And Location:
Contact surface gold and contact surface silver
Precious Material And Weight:
0.134 gold grains, troy and 0.134 silver grains, troy
Precious Material:
Gold and silver
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0