## NSN 5935-00-061-7147

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-061-7147 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Right angle type **Overall Length:** 2.900 inches **Overall Height:** 1.125 inches **Overall Width:** 0.900 inches **Distance Between Mounting Facility Centers:** 2.500 inches **Threaded Device Type:** Mounting hole **Mating End Quantity:** 1 **Contact Removability:** Removable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 5.0 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 350.0 single mating end single contact grouping **Connector Locking Method:** Screw Thread Length: 0.312 inches Thready Qty Per Inch (tpi): 24 **Thread Size:** 0.312 inches **Terminal Location:** Side single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and nickel single mating end single contact grouping **Insert Material:** Plastic polyamide single mating end

**Terminal Type:** 

Crimp single mating end single contact grouping

## NSN 5935-00-061-7147

Electrical Receptacle Connector - Page 2 of 2



Included Contact Quantity:
40 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.040 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0