## NSN 5935-00-062-2084

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-062-2084 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Angle shape, external coupling **Overall Length:** 1.072 inches **Bushing Diameter:** 0.320 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 0.641 inches **Overall Height:** 0.688 inches **Overall Width:** 0.930 inches **Environmental Protection:** Weatherproof **Unthreaded Mounting Hole Diameter:** 0.128 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.641 inches Flange Length: 0.930 inches **Threaded Device Type:** Coupling facility **Mating End Quantity: Contact Position Arrangement Style:** Tnc single mating end **Contact Removability:** Nonremovable single mating end single contact grouping Shell Type: Solid **Connector Locking Method:** Internally threaded coupling nut Thready Qty Per Inch (tpi): 28 **Thread Size:** 0.438 inches

**Terminal Location:** 

Back single mating end single contact grouping

## NSN 5935-00-062-2084

Electrical Receptacle Connector - Page 2 of 2



Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Silver single mating end single contact grouping
Insert Material:
Plastic single mating end
Terminal Type:
Solder well single mating end single contact grouping
Contact Material Specification:
Qq-b-750 federal specification single material response single mating end single contact grouping
Shell Material:
Copper alloy
Shell Surface Treatment:
Cadmium
Included Contact Quantity:
1 single mating end single contact grouping
Included Contact Type:
Coaxial socket single mating end single contact grouping
Precious Material And Location:
Contact surface silver
Precious Material And Weight:
0.005 silver grains, troy
Precious Material:
Silver
Thread Series Designator:
Unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0