NSN 5935-00-064-3359

Plug-in Electronic Components Socket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-064-3359 **Body Material:** Steel and plastic and glass **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Top mount w/metal saddle **Fabrication Method:** Molded **Overall Length:** 1.780 inches **Overall Height:** 0.970 inches **Overall Width:** 1.060 inches **Mounting Hole Diameter:** 0.138 inches **Body Mounting Hole Accommodation Diameter:** Between 0.958 inches and 0.978 inches **Distance Between Mounting Facility Centers:** Between 1.396 inches and 1.416 inches **Mounting Hole Style:** Round, w/two mounting holes **Specific Equipment Accommodated:** Electron tube **Contact Maximum Current Rating In Amps:** 7.0 **Contact Material:** Phosphor bronze **Contact Surface Treatment:** Gold and silver **Accommodated Contact Quantity:** 20 **Polarization Type:** Off center hole Saddle Material: Steel **Saddle Surface Treatment:**

Projection Length Below Mounting Surface: 0.300 inches

NSN 5935-00-064-3359

Plug-in Electronic Components Socket - Page 2 of 2



Mounting Method:
Threaded stud and saddle
Mounting Type For Which Designed:
Chassis
Thready Qty Per Inch (tpi):
32
Thread Size:
0.138 inches
Contact Position Arrangement Style:
Concentric
Precious Material And Location:
Contact surface gold and contact surface silver
Precious Material And Weight:
0.021 gold grains, troy and 0.021 silver grains, troy
Precious Material:
Gold and silver
Thread Series Designator:
Unc
Furnished Items And Quantity:
2 bolt and 2 nut and 2 screw
Terminal Type And Quantity:
20 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A02300