Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-065-8958

# Body Style:

Straight shape, external coupling

Overall Length:

Between 1.154 inches and 1.248 inches

# **Overall Height:**

Between 1.344 inches and 1.360 inches

### **Overall Width:**

Between 1.344 inches and 1.360 inches

### **Unthreaded Mounting Hole Diameter:**

Between 0.145 inches and 0.155 inches

### Center To Center Distance Between Mounting Facilities Parallel To Height:

Between 1.026 inches and 1.036 inches

### Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 1.026 inches and 1.036 inches

### Distance From Mounting Shoulder To Front Face:

Between 0.462 inches and 0.472 inches

### Mating End Quantity:

1

### **Contact Position Arrangement Style:**

14-19 single mating end

### **Contact Removability:**

Removable single mating end single contact grouping

## Contact Maximum Current Rating In Amps:

7.5 single mating end single contact grouping

### Contact Maximum Ac Voltage Rating In Volts:

500.0 single mating end single contact grouping

## Contact Maximum Dc Voltage Rating In Volts:

700.0 single mating end single contact grouping

### **Polarization Method:**

Keyway or multiple keyway

### **Insert Position In Deg:**

0.0

# Shell Type:

Solid

# **Connector Locking Method:**

Bayonet pin

### **Terminal Location:**

Back single mating end single contact grouping

## **Contact Surface Treatment:**

Gold single mating end single contact grouping and silver single mating end single contact grouping

### **Insert Material:**

Rubber single mating end



Terminal Type:
Solder well single mating end single contact grouping
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium and chromate and nickel
Shell Surface Treatment Specification:
Qq-p-416 federal specification single treatment response
Included Contact Quantity:
19 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold and contact surfaces silver
Precious Material And Weight:
0.019 gold grains, troy and 0.019 silver grains, troy
Precious Material:
Gold and silver
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0