NSN 5935-00-066-5108

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-066-5108

Body Style:

Straight edge type w/mounting flange

Overall Length:

5.275 inches

Overall Height:

1.000 inches

Overall Width:

0.453 inches

Unthreaded Mounting Hole Diameter:

0.128 inches

Distance Between Mounting Facility Centers:

4.900 inches

Board Accommodated Width:

0.072 inches

Mating End Quantity:

1

Contact Position Arrangement Style:

1 row of contacts inserted board single mating end

Contact Removability:

Nonremovable single mating end single contact grouping

Contact Maximum Current Rating In Amps:

10.0 single mating end single contact grouping

Polarization Method:

Contact to contact polarizing keys

Terminal Location:

Back single mating end single contact grouping

Contact Material:

Copper alloy single mating end single contact grouping

Contact Surface Treatment:

Gold single mating end single contact grouping and nickel single mating end single contact grouping

Insert Material:

Plastic phenolic single mating end

Terminal Type:

Pin single mating end single contact grouping

Contact Material Specification:

Qq-p-330, comp a federal specification single material response single mating end single contact grouping

Insert Material Specification:

Mil-p-14, type mfe military specification single material response single mating end

Included Contact Quantity:

20 single mating end single contact grouping

Included Contact Type:

Hermaphrodite single mating end single contact grouping

NSN 5935-00-066-5108

Electrical Receptacle Connector - Page 2 of 2



Special Features:
Polarizing tabs at contact positions 1 and 4
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.020 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A039b0

Mil-p-14 spec.

Mil-std (military Standard):