NSN 5935-00-068-5339

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-068-5339 **Body Style:** Straight shape, flush mount **Overall Length:** 1.000 inches **Overall Height:** 2.000 inches **Overall Width:** 1.000 inches Center To Center Distance Between Mounting Facilities Parallel To Height: Between 1.775 inches and 1.785 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: Between 0.495 inches and 0.505 inches **Distance From Mounting Shoulder To Front Face:** 0.063 inches **Mating End Quantity: Contact Position Arrangement Style:** 32 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 7.5 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 1500.0 single mating end single contact grouping **Polarization Method:** Mating end Shell Type: Solid **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:**

Gold single mating end single contact grouping and silver single mating end single contact grouping

Insert Material:

Plastic melamine single mating end

Terminal Type:

Solder well single mating end single contact grouping

Shell Material:

Aluminum alloy

Shell Surface Treatment:

Cadmium and chromate

NSN 5935-00-068-5339

Electrical Receptacle Connector - Page 2 of 2



Included Contact Quantity:

32 single mating end single contact grouping

Included Contact Type:

Round socket single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold and contact surfaces silver

Precious Material And Weight:

0.032 gold grains, troy and 0.032 silver grains, troy

Precious Material:

Gold and silver

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A039b0