NSN 5935-00-068-6177

Receptacle Dummy Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-068-6177
Thread Class:
2a
Body Style:
Straight shape, external coupling
Overall Length:
0.870 inches
Overall Height:
1.188 inches
Overall Width:
1.188 inches
Unthreaded Mounting Hole Diameter:
0.151 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
Between 0.901 inches and 0.911 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
Between 0.901 inches and 0.911 inches
Distance From Mounting Shoulder To Front Face:
0.729 inches
Threaded Device Type:
Coupling facility
Moting End Overtity
Mating End Quantity:
1
1
1 Shell Type:
1 Shell Type: Solid
1 Shell Type: Solid Connector Locking Method:
1 Shell Type: Solid Connector Locking Method: Externally threaded shell
Shell Type: Solid Connector Locking Method: Externally threaded shell Thread Length:
Shell Type: Solid Connector Locking Method: Externally threaded shell Thread Length: 0.391 inches
Shell Type: Solid Connector Locking Method: Externally threaded shell Thread Length: 0.391 inches Thread Size:
Shell Type: Solid Connector Locking Method: Externally threaded shell Thread Length: 0.391 inches Thread Size: 0.875 inches
Shell Type: Solid Connector Locking Method: Externally threaded shell Thread Length: 0.391 inches Thread Size: 0.875 inches Shell Material:
Shell Type: Solid Connector Locking Method: Externally threaded shell Thread Length: 0.391 inches Thread Size: 0.875 inches Shell Material: Aluminum alloy
Shell Type: Solid Connector Locking Method: Externally threaded shell Thread Length: 0.391 inches Thread Size: 0.875 inches Shell Material: Aluminum alloy Shell Surface Treatment:
Shell Type: Solid Connector Locking Method: Externally threaded shell Thread Length: 0.391 inches Thread Size: 0.875 inches Shell Material: Aluminum alloy Shell Surface Treatment: Cadmium
Shell Type: Solid Connector Locking Method: Externally threaded shell Thread Length: 0.391 inches Thread Size: 0.875 inches Shell Material: Aluminum alloy Shell Surface Treatment: Cadmium Shell Surface Treatment Specification:
Shell Type: Solid Connector Locking Method: Externally threaded shell Thread Length: 0.391 inches Thread Size: 0.875 inches Shell Material: Aluminum alloy Shell Surface Treatment: Cadmium Shell Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification single treatment response
Shell Type: Solid Connector Locking Method: Externally threaded shell Thread Length: 0.391 inches Thread Size: 0.875 inches Shell Material: Aluminum alloy Shell Surface Treatment: Cadmium Shell Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification single treatment response Bushing Accommodation Hole Shape:
Shell Type: Solid Connector Locking Method: Externally threaded shell Thread Length: 0.391 inches Thread Size: 0.875 inches Shell Material: Aluminum alloy Shell Surface Treatment: Cadmium Shell Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification single treatment response Bushing Accommodation Hole Shape: Round
Shell Type: Solid Connector Locking Method: Externally threaded shell Thread Length: 0.391 inches Thread Size: 0.875 inches Shell Material: Aluminum alloy Shell Surface Treatment: Cadmium Shell Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification single treatment response Bushing Accommodation Hole Shape: Round Thread Series Designator:

NSN 5935-00-068-6177

Receptacle Dummy Connector - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A039b0