## NSN 5935-00-069-6732



Electrical Receptacle Connector - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5935-00-069-6732 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Straight shape Center To Center Distance Between Mounting Facilities Parallel To Length: 3.875 inches **Overall Height:** 0.984 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.562 inches **Threaded Device Type:** Mounting hole **Mating End Quantity: Contact Position Arrangement Style:** 59c10 single mating end **Contact Removability:** Nonremovable single mating end all contact groupings **Contact Maximum Current Rating In Amps:** 7.5 single mating end 2nd contact grouping Shell Type: Solid Thready Qty Per Inch (tpi): 32 **Thread Size:** 0.138 inches **Terminal Location:** Back single mating end all contact groupings **Contact Material:** Copper alloy single mating end all contact groupings **Contact Surface Treatment:** Gold single mating end all contact groupings **Insert Material:** Plastic diallyl phthalate single mating end **Terminal Type:** Solder well single mating end all contact groupings **Shell Material:** Aluminum alloy

**Shell Surface Treatment:** Cadmium and chromate

## NSN 5935-00-069-6732

Electrical Receptacle Connector - Page 2 of 2



Included Contact Quantity:
49 single mating end 2nd contact grouping
Included Contact Type:
Round socket single mating end 2nd contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.059 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A039b0