## NSN 5935-00-070-5872

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-070-5872 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Rectangular shape center screwlock **Overall Length:** 3.000 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 2.780 inches **Overall Height:** 0.276 inches **Overall Width:** 0.324 inches **Environmental Protection:** Humidity resistant and shock resistant and thermal shock resistant and vibration resistant **Unthreaded Mounting Hole Diameter:** 0.218 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 2 rows of contacts non-inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Polarization Method:** Contact to contact polarizing keys Shell Type: Solid **Connector Locking Method:** Post jacksocket Thready Qty Per Inch (tpi):

32

**Thread Size:** 

0.138 inches

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping

**Insert Material:** 

Plastic diallyl phthalate single mating end

## NSN 5935-00-070-5872

**Included Contact Type:** 

Contact surfaces gold

0.021 gold grains, troy **Precious Material:** 

**Thread Series Designator:** 

Mil-std (military Standard):

Gold

Unc

N/a

No Fiig: A039b0

Shelf Life:

**Unit Of Measure:** 

**Demilitarization:** 

Mil-g-45204 spec.

**Precious Material And Location:** 

**Precious Material And Weight:** 

Round pin single mating end single contact grouping

Electrical Receptacle Connector - Page 2 of 2



## **Contact Surface Treatment Specification:** Mil-g-45204, type 1, grade c military specification single treatment response single mating end single contact grouping **Unable To Decode:** Unable to decode and unable to decode **Terminal Type:** Pin single mating end single contact grouping **Shell Material:** Aluminum alloy **Shell Surface Treatment:** Cadmium **Shell Surface Treatment Specification:** Qq-p-416, type 2, cl 1 federal specification single treatment response **Insert Material Specification:** Mil-m-14, ty sdg-f military specification single material response single mating end **Included Contact Quantity:** 21 single mating end single contact grouping