## NSN 5935-00-071-7456

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-071-7456

**Thread Class:** 

2a and 2b and 2a

**Thread Direction:** 

Right-hand and right-hand and right-hand

**Body Style:** 

Straight shape

**Overall Length:** 

Between 1.570 inches and 1.630 inches

**Overall Height:** 

Between 0.560 inches and 0.600 inches

**Overall Width:** 

Between 0.320 inches and 0.360 inches

**Environmental Protection:** 

Heat resistant and moisture resistant and pressure proof and salt water resistant and vibration resistant

**Distance Between Mounting Facility Centers:** 

Between 1.245 inches and 1.255 inches

**Threaded Device Type:** 

Coupling facility and coupling facility and mounting stud

**Mating End Quantity:** 

1

**Contact Removability:** 

Nonremovable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:** 

5.0 single mating end single contact grouping

**Polarization Method:** 

Jackscrew

**Connector Locking Method:** 

Jackscrew-socket

**End Application:** 

F-4 phantom aircraft

Thready Qty Per Inch (tpi):

48 and 48 and 56

Thread Size:

0.099 inches and 0.099 inches and 0.073 inches

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping and copper single mating end single contact grouping

**Insert Material:** 

Plastic diallyl phthalate single mating end

NSN 5935-00-071-7456 Electrical Receptacle Connector - Page 2 of 2



Criticality Code Justification:
Feat
Terminal Type:
Solder well single mating end single contact grouping
nsert Material Specification:
Mil-m-18784, type sdi-5 military specification single material response single mating end
ncluded Contact Quantity:
26 single mating end single contact grouping
ncluded Contact Type:
Round pin single mating end single contact grouping
Special Features:
Weapon system essential
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.026 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Jnc and unc and unc
Shelf Life:
N/a
Unit Of Measure:
<del>-</del>
Demilitarization:
No
Filg:
A039b0
Mil-std (military Standard):
Mil-m-18784 spec.