Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-079-3899

#### **Body Style:**

Straight shape, external coupling w/backshell

#### **Overall Length:**

1.076 inches

## **Overall Height:**

1.562 inches

#### **Overall Width:**

1.562 inches

#### **Environmental Protection:**

Moisture proof

#### **Unthreaded Mounting Hole Diameter:**

#### 0.120 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Height:

1.250 inches

#### Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.250 inches

## **Distance From Mounting Shoulder To Front Face:**

0.556 inches

#### Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

22-36 single mating end

#### **Contact Removability:**

Nonremovable single mating end single contact grouping

## Contact Maximum Current Rating In Amps:

7.5 single mating end single contact grouping

## Contact Maximum Ac Voltage Rating In Volts:

500.0 single mating end single contact grouping

## Contact Maximum Dc Voltage Rating In Volts:

700.0 single mating end single contact grouping

#### **Polarization Method:**

Key, multiple key groove

#### **Insert Position In Deg:**

0.0

#### Shell Type:

Solid

#### Connector Locking Method:

Bayonet pin

#### **Terminal Location:**

Back single mating end single contact grouping

#### **Contact Material:**

Copper alloy single mating end single contact grouping



# **Contact Surface Treatment:**

Gold single mating end single contact grouping and silver single mating end single contact grouping

## Insert Material:

Rubber single mating end

# Terminal Type:

Solder well single mating end single contact grouping

# Shell Material:

Aluminum alloy

# Shell Surface Treatment:

Anodize

# Included Contact Quantity:

36 single mating end single contact grouping

# Bushing Accommodation Hole Shape:

Round

## **Included Contact Type:**

Round pin single mating end single contact grouping

## **Precious Material And Location:**

Contact surfaces gold and contact surfaces silver

## **Precious Material And Weight:**

 $0.036\ gold\ grains,\ troy\ and\ 0.036\ silver\ grains,\ troy$ 

## **Precious Material:**

Gold and silver

# Shelf Life:

N/a

## Unit Of Measure:

---

## Demilitarization:

No

## Fiig:

A039b0