NSN 5935-00-080-5862

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-080-5862

Thread Class:
2a
Thread Direction:
Right-hand
Body Style:
Straight shape Overall Length:
1.406 inches
Overall Height:
0.719 inches
Overall Width:
0.781 inches
Distance Between Mounting Facility Centers:
1.000 inches
Threaded Device Type:
Mounting stud
Mating End Quantity:
Contact Maximum Current Rating In Amps:
13.0 single mating end single contact grouping
Connector Locking Method:
Screw lock pin
Thready Qty Per Inch (tpi):
40
Thread Size:
0.112 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and silver single mating end single contact grouping
Insert Material:
Plastic melamine single mating end
Terminal Type:
Solder well single mating end single contact grouping
Contact Material Specification:
Qq-b-626, comp 22 federal specification single material response single mating end single contact grouping
Insert Material Specification:
Mil-m-14, ty mme military specification single material response single mating end
Included Contact Quantity:

moraded Contact Quantity.

6 single mating end single contact grouping

NSN 5935-00-080-5862

Electrical Receptacle Connector - Page 2 of 2



Included Contact Type:
Round pin single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold and contact surfaces silver
Precious Material And Weight:
0.006 gold grains, troy and 0.006 silver grains, troy
Precious Material:
Gold and silver
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A039b0

Mil-m-14 spec.

Mil-std (military Standard):