NSN 5935-00-086-0785

Electrical Receptacle Connector Body - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5935-00-086-0785



| Thread Class: |
|--|
| 2a |
| Thread Direction: |
| Right-hand |
| Body Style: |
| Straight shape threaded |
| Overall Length: |
| 1.375 inches |
| Overall Diameter: |
| 1.959 inches |
| Environmental Protection: |
| Pressure proof |
| Distance From Mounting Shoulder To Front Face: |
| 0.781 inches |
| Mounting Facility Thickness: |
| Between 0.062 inches and 0.125 inches |
| Threaded Device Type: |
| Mounting bushing |
| Mating End Quantity: |
| 1 |
| Contact Position Arrangement Style: |
| 22-12 single mating end |
| Polarization Method: |
| Key, multiple key groove |
| Insert Position In Deg: |
| 0.0 |
| Shell Type: |
| Solid |
| Connector Locking Method: |
| Bayonet pin |
| Thready Qty Per Inch (tpi): |
| 20 |
| Thread Size: |
| 1.500 inches |
| Insert Material: |
| Rubber single mating end |
| Shell Material: |
| Aluminum alloy |
| Bushing Accommodation Hole Shape: |
| Round w/flat |
| Thread Series Designator: |
| Un |
| |

NSN 5935-00-086-0785

Electrical Receptacle Connector Body - Page 2 of 2



| Shel | t L | ite | : |
|------|-----|-----|---|
| | | | |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0