

View Online at <https://aerobasegroup.com/nsn/5935-00-086-8922>

**Body Style:**

Wall type w/ or w/o cover

**Overall Length:**

4.125 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

2.125 inches

**Overall Height:**

3.375 inches

**Unthreaded Mounting Hole Diameter:**

0.281 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

3.062 inches

**Mating End Quantity:**

1

**Contact Position Arrangement Style:**

"3, 5-50, 6-50" single mating end

**Contact Removability:**

Nonremovable single mating end all contact groupings

**Contact Maximum Current Rating In Amps:**

15.0 single mating end all contact groupings

**Contact Maximum Ac Voltage Rating In Volts:**

125.0 single mating end all contact groupings

**Polarization Method:**

Contact

**Shell Type:**

Split

**Connector Locking Method:**

Friction

**Terminal Location:**

Back single mating end all contact groupings

**Contact Material:**

Copper alloy single mating end all contact groupings

**Contact Surface Treatment:**

Nickel single mating end all contact groupings

**Insert Material:**

Plastic phenolic single mating end

**Contact Surface Treatment Specification:**

Qq-n-290 cl 2, type 6 federal specification single treatment response single mating end all contact groupings

**Terminal Type:**

Screw single mating end all contact groupings

**Shell Material:**

Aluminum alloy

**Insert Material Specification:**

Mil-m-14 ty cfi-5 military specification single material response single mating end

**Included Contact Quantity:**

2 single mating end 2nd contact grouping

**Included Contact Type:**

U-socket single mating end 1st contact grouping

**Test Data Document:**

81349-mil-r-2726 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Specification Data:**

81349-mil-r-2726/37 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A039b0

**Mil-std (military Standard):**

Mil-m-14 spec.