Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-089-5709

# Body Style:

Straight shape, external coupling

Overall Length: 1.076 inches

# Overall Height:

Between 1.422 inches and 1.454 inches

#### **Overall Width:**

Between 1.422 inches and 1.454 inches

## **Environmental Protection:**

Moisture resistant

## **Unthreaded Mounting Hole Diameter:**

Between 0.115 inches and 0.125 inches

## Center To Center Distance Between Mounting Facilities Parallel To Height:

1.156 inches

## Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.156 inches

## Distance From Mounting Shoulder To Front Face:

Between 0.556 inches and 0.566 inches

## Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

20-24 single mating end

#### **Contact Removability:**

Nonremovable single mating end single contact grouping

## Contact Maximum Current Rating In Amps:

7.5 single mating end single contact grouping

## Contact Maximum Ac Voltage Rating In Volts:

500.0 single mating end single contact grouping

## Contact Maximum Dc Voltage Rating In Volts:

700.0 single mating end single contact grouping

#### **Polarization Method:**

Keyway or multiple keyway

## **Insert Position In Deg:**

70.0

## Shell Type:

Solid

#### Connector Locking Method:

Bayonet latch

#### **Terminal Location:**

Back single mating end single contact grouping

#### **Contact Material:**

Copper alloy single mating end single contact grouping



# **Contact Surface Treatment:**

Gold single mating end single contact grouping and silver single mating end single contact grouping

# Insert Material:

Rubber single mating end

# Terminal Type:

Solder well single mating end single contact grouping

# Shell Material:

Aluminum alloy

# Shell Surface Treatment:

Cadmium and chromate

# Included Contact Quantity:

24 single mating end single contact grouping

# Included Contact Type:

Round pin single mating end single contact grouping

# Precious Material And Location:

Contact surfaces gold and contact surfaces silver

# Precious Material And Weight:

0.024 gold grains, troy and 0.024 silver grains, troy

# Precious Material:

Gold and silver

Shelf Life:

N/a

# Unit Of Measure:

---

## Demilitarization:

No

## Fiig:

A039b0