Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-089-6704

# **Body Style:** Straight shape, external coupling **Overall Length:** 1.076 inches **Overall Height:** Between 1.656 inches and 1.688 inches **Overall Width:** Between 1.656 inches and 1.688 inches **Environmental Protection:** Moisture proof and pressure proof **Unthreaded Mounting Hole Diameter:** Between 0.145 inches and 0.155 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 1.297 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.297 inches **Distance From Mounting Shoulder To Front Face:** Between 0.556 inches and 0.566 inches Mating End Quantity: 1 **Contact Position Arrangement Style:** 20-41 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 7.5 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 500.0 single mating end single contact grouping **Contact Maximum Dc Voltage Rating In Volts:** 700.0 single mating end single contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 45.0 Shell Type: Solid **Connector Locking Method:** Bayonet pin **Terminal Location:** Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping



#### **Contact Surface Treatment:**

Gold single mating end single contact grouping and silver single mating end single contact grouping

#### **Insert Material:**

Rubber single mating end

# **Terminal Type:**

Solder well single mating end single contact grouping

#### Shell Material:

Aluminum alloy

#### Shell Surface Treatment:

Anodize

# Included Contact Quantity:

41 single mating end single contact grouping

# **Bushing Accommodation Hole Shape:**

Round

# **Included Contact Type:**

Round pin single mating end single contact grouping

#### **Precious Material And Location:**

Contact surfaces gold and contact surfaces silver

# **Precious Material And Weight:**

0.041 gold grains, troy and 0.041 silver grains, troy

# **Precious Material:**

Gold and silver

# Shelf Life:

N/a

# Unit Of Measure:

--

#### Demilitarization:

No

Fiig:

A039b0