NSN 5935-00-089-9108

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-089-9108 **Thread Class:** 2b and 2b **Thread Direction:** Right-hand and right-hand and right-hand **Body Style:** Rectangular shape center screwlock **Overall Length:** 4.128 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 3.808 inches **Overall Height:** 0.834 inches **Overall Width:** 0.697 inches **Environmental Protection:** Vibration resistant and shock resistant and salt water resistant **Unthreaded Mounting Hole Diameter:** 0.125 inches **Threaded Device Type:** Coupling facility and mounting hole **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 244 single mating end **Polarization Method:** Polarization boss and guide pin/socket **Connector Locking Method:** Post jacksocket Thready Qty Per Inch (tpi): 32 and 32 and 40 **Thread Size:** 0.138 inches and 0.138 inches and 0.138 inches **Insert Material:** Plastic diallyl phthalate single mating end or plastic phenolic single mating end **Insert Material Specification:** Mil-m-14, type sdg-f military specification single material response single mating end Color: Black **Thread Series Designator:** Unc and unc and unc Shelf Life:

Onen En

N/a

NSN 5935-00-089-9108

Electrical Receptacle Connector Body - Page 2 of 2



| Unit Of Measure | U | nit | Of | Meas | ure | : |
|-----------------|---|-----|----|------|-----|---|
|-----------------|---|-----|----|------|-----|---|

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.