

View Online at <https://aerobasegroup.com/nsn/5935-00-090-7098>

**Thread Class:**

2b

**Thread Direction:**

Right-hand

**Body Style:**

Straight shape, external/internal coupling

**Overall Length:**

1.400 inches

**Overall Diameter:**

0.780 inches

**Threaded Device Type:**

Coupling facility

**Mating End Quantity:**

2

**Contact Position Arrangement Style:**

C 2nd mating end

**Contact Removability:**

Nonremovable all mating ends all contact groupings

**Shell Type:**

Solid

**Connector Locking Method:**

Bayonet pin and internally threaded coupling ring

**Radio Frequency Type Contact Characteristic Impedance In Ohms:**

50.0 all mating ends all contact groupings

**Thready Qty Per Inch (tpi):**

24

**Thread Size:**

0.688 inches

**Contact Material:**

Copper alloy all mating ends all contact groupings and copper alloy 360 all mating ends all contact groupings

**Contact Surface Treatment:**

Silver all mating ends all contact groupings

**Insert Material:**

Plastic tetrafluoroethylene all mating ends

**Contact Material Specification:**

Qq-c-530, comp ht federal specification 1st material response all mating ends all contact groupings and qq-b-626, alloy 360, 1/2h federal specification 2nd material response all mating ends all contact groupings

**Shell Material:**

Copper alloy 360

**Shell Surface Treatment:**

Silver

**Shell Material Specification:**

Qq-b-626, alloy 360, 1/2 h federal specification single material response

**Included Contact Quantity:**

1 2nd mating end all contact groupings

**Included Contact Type:**

Coaxial socket 1st mating end all contact groupings

**Precious Material And Location:**

Contact and shell surfaces silver

**Precious Material And Weight:**

0.110 silver grains, troy

**Precious Material:**

Silver

**Thread Series Designator:**

Unef

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A039b0