

View Online at <https://aerobasegroup.com/nsn/5935-00-093-0826>

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Body Style:**

T-shape

**Overall Length:**

Between 0.855 inches and 0.865 inches

**Overall Height:**

Between 0.651 inches and 0.661 inches

**Threaded Device Type:**

Coupling facility

**Mating End Quantity:**

3

**Contact Position Arrangement Style:**

Nonstd all mating ends

**Contact Removability:**

Removable all mating ends all contact groupings

**Shell Type:**

Solid

**Connector Locking Method:**

Externally threaded shell

**Radio Frequency Type Contact Characteristic Impedance In Ohms:**

50.0 all mating ends all contact groupings

**Thready Qty Per Inch (tpi):**

32

**Thread Size:**

0.190 inches

**Contact Material:**

Copper alloy all mating ends all contact groupings

**Contact Surface Treatment:**

Gold all mating ends all contact groupings

**Contact Surface Treatment Specification:**

Mil-g-45204, type 2, class 2 military specification single treatment response all mating ends all contact groupings

**Shell Material:**

Aluminum alloy

**Included Contact Quantity:**

3 all mating ends single contact grouping

**Included Contact Type:**

Coaxial pin all mating ends all contact groupings

**Special Features:**

Bracket mtd on 0.120 in. Diameter hole

**Precious Material And Location:**

Contact surfaces gold

**Precious Material And Weight:**

0.015 gold grains, troy

**Precious Material:**

Gold

**Thread Series Designator:**

Unf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A039b0

**Mil-std (military Standard):**

Mil-g-45204 spec.