

View Online at <https://aerobasegroup.com/nsn/5935-00-093-0826>

Thread Class:

2a

Thread Direction:

Right-hand

Body Style:

T-shape

Overall Length:

Between 0.855 inches and 0.865 inches

Overall Height:

Between 0.651 inches and 0.661 inches

Threaded Device Type:

Coupling facility

Mating End Quantity:

3

Contact Position Arrangement Style:

Nonstd all mating ends

Contact Removability:

Removable all mating ends all contact groupings

Shell Type:

Solid

Connector Locking Method:

Externally threaded shell

Radio Frequency Type Contact Characteristic Impedance In Ohms:

50.0 all mating ends all contact groupings

Thready Qty Per Inch (tpi):

32

Thread Size:

0.190 inches

Contact Material:

Copper alloy all mating ends all contact groupings

Contact Surface Treatment:

Gold all mating ends all contact groupings

Contact Surface Treatment Specification:

Mil-g-45204, type 2, class 2 military specification single treatment response all mating ends all contact groupings

Shell Material:

Aluminum alloy

Included Contact Quantity:

3 all mating ends single contact grouping

Included Contact Type:

Coaxial pin all mating ends all contact groupings

Special Features:

Bracket mtd on 0.120 in. Diameter hole

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.015 gold grains, troy

Precious Material:

Gold

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.