## NSN 5935-00-102-0339

**Thread Class:** 

**Thread Direction:** 

2a

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-102-0339

Right-hand
Body Style:
Straight shape
Overall Length:
1.620 inches
Overall Height:
0.840 inches
Overall Width:
0.750 inches
Distance Between Mounting Facility Centers:
1.250 inches
Threaded Device Type:
Mounting stud
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of independent contacts inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
10.0 single mating end single contact grouping
Polarization Method:
Guide pin/socket
Thread Size:
0.112 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Terminal Type:
Solder well single mating end single contact grouping
Insert Material Specification:
Mil-m-14, ty gdi-30 military specification single material response single mating end
Included Contact Quantity:
10 single mating end single contact grouping

## NSN 5935-00-102-0339

Electrical Receptacle Connector - Page 2 of 2



## **Included Contact Type:** Round socket single mating end single contact grouping **Precious Material And Location:** Contact surface gold **Precious Material And Weight:** 0.010 gold grains, troy **Precious Material:** Gold **Thread Series Designator:** Unc Shelf Life: N/a **Unit Of Measure: Demilitarization:** No Fiig: A039b0

Mil-std (military Standard):

Mil-m-14 spec.