## NSN 5935-00-102-3868

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-102-3868

**Body Style:** 

Straight shape

**Overall Length:** 

Between 1.198 inches and 1.228 inches

**Overall Height:** 

Between 0.412 inches and 0.432 inches

**Overall Width:** 

Between 0.479 inches and 0.509 inches

**Unthreaded Mounting Hole Diameter:** 

Between 0.115 inches and 0.125 inches

**Distance Between Mounting Facility Centers:** 

Between 0.979 inches and 0.989 inches

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

5 5w1 single mating end

**Contact Removability:** 

Nonremovable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:** 

5.0 single mating end single contact grouping

**Polarization Method:** 

Mating end

Shell Type:

Solid

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping and silver single mating end single contact grouping

**Insert Material:** 

Plastic diallyl phthalate single mating end

**Terminal Type:** 

Solder well single mating end single contact grouping

**Shell Material:** 

Steel

**Shell Surface Treatment:** 

Cadmium and chromate

**Insert Material Specification:** 

Mil-m-19833, type gdi-30f military specification single material response single mating end

**Included Contact Quantity:** 

4 single mating end single contact grouping

## NSN 5935-00-102-3868

Electrical Receptacle Connector - Page 2 of 2



Included Contact Type:
Round pin single mating end single contact grouping
Special Features:
Accommodated contactquantity type 1
Precious Material And Location:
Contact surface gold and contact surface silver
Precious Material:
Gold and silver
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A039b0

Mil-std (military Standard):

Mil-m-19833 spec.