Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-103-0605

#### **Body Style:**

Straight shape, external coupling

#### **Overall Length:**

0.582 inches

## **Bushing Diameter:**

0.162 inches

#### **Overall Height:**

0.500 inches

#### **Overall Width:**

0.500 inches

#### **Environmental Protection:**

Corrosion resistant and moisture proof and shock proof and vibration resistant

#### **Unthreaded Mounting Hole Diameter:**

#### 0.102 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Height:

#### 0.340 inches

#### Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.340 inches

### Distance From Mounting Shoulder To Front Face:

0.442 inches

## Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

Osm single mating end

#### **Contact Removability:**

Nonremovable single mating end single contact grouping

#### Shell Type:

Solid

#### **Connector Locking Method:**

Spring friction

#### **Terminal Location:**

Back single mating end single contact grouping

## **Contact Material:**

Copper alloy single mating end single contact grouping

## **Contact Surface Treatment:**

Gold single mating end single contact grouping

## Insert Material:

Plastic polytetrafluoroethylene single mating end

## Contact Surface Treatment Specification:

Mil-g-45204, type ii, class 1 military specification single treatment response single mating end single contact grouping

## **Terminal Type:**

Threaded stud single mating end single contact grouping



# **Contact Material Specification:** Qq-c-350 federal specification single material response single mating end single contact grouping Shell Material: Steel comp 303 **Shell Material Specification:** Qq-s-763b federal specification single material response **Insert Material Specification:** Mil-p-19468 military specification single material response single mating end **Included Contact Quantity:** 1 single mating end single contact grouping **Included Contact Type:** Coaxial socket single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.005 gold grains, troy **Precious Material:** Gold Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A039b0 Mil-std (military Standard): Mil-g-45204 spec.