NSN 5935-00-103-7709

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-103-7709 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 1.613 inches **Overall Height:** 1.395 inches **Overall Width:** 1.395 inches **Environmental Protection:** Fuel resistant **Unthreaded Mounting Hole Diameter:** 0.181 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 1.063 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.063 inches **Distance From Mounting Shoulder To Front Face:** 0.766 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 1 **Contact Maximum Current Rating In Amps:** 23.0 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 500.0 single mating end single contact grouping **Contact Maximum Dc Voltage Rating In Volts:** 700.0 single mating end single contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 **Connector Locking Method:** Externally threaded shell Thready Qty Per Inch (tpi): 18

Thread Size:

1.125 inches

NSN 5935-00-103-7709

Electrical Receptacle Connector - Page 2 of 2



Terminal Location:
Back single mating end single contact grouping
Insert Material:
Rubber single mating end
Terminal Type:
Solder well single mating end single contact grouping
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Anodize
Included Contact Quantity:
4 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Thread Series Designator:
Unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0