NSN 5935-00-104-1449

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-104-1449

	Body Style:		
	Straight shape		
	Overall Length:		
	3.125 inches		
Overall Height:			
	0.703 inches		
	Overall Width:		
	0.375 inches		
	Distance Between Mounting Facility Centers:		
	2.900 inches		
	Threaded Device Type:		
	Coupling facility and mounting stud		
	Mating End Quantity:		
	1		
	Contact Position Arrangement Style:		
	2 rows of contacts non-inserted board single mating end		
	Contact Removability:		
	Nonremovable single mating end single contact grouping		
	Contact Maximum Current Rating In Amps:		
	5.0 single mating end single contact grouping		
	Connector Locking Method:		
	Jackscrew-socket		
	Terminal Location:		
	Back single mating end single contact grouping		
	Contact Material:		
	Copper alloy single mating end single contact grouping		
	Contact Surface Treatment:		
	Gold single mating end single contact grouping and silver single mating end single contact grouping		
	Insert Material:		
	Plastic diallyl phthalate single mating end		
	Terminal Type:		
	Pin single mating end single contact grouping		
	Contact Material Specification:		
	Qq-b-626 federal specification single material response single mating end single contact grouping		
	Insert Material Specification:		
	Mil-m-14, ty mdg military specification single material response single mating end		
	Included Contact Quantity:		
	50 single mating end single contact grouping		
	Included Contact Type:		
	Round pin single mating end single contact grouping		

Precious Material And Location:

Contact surfaces gold and contact surfaces silver

NSN 5935-00-104-1449

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Weight:			
0.050 gold grains, t	troy and 0.050 silver grains, troy		
Precious Material:			
Gold and silver			
Shelf Life:			
N/a			
Unit Of Measure:			
Demilitarization:			
No			
Fiig:			
A039b0			

Mil-std (military Standard):

Mil-m-14 spec.