NSN 5935-00-113-7387

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-113-7387 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Straight shape, pc type **Overall Length:** Between 7.585 inches and 7.615 inches **Overall Height:** 0.875 inches **Overall Width:** 0.500 inches **Environmental Protection:** Vibration resistant and thermal shock resistant and humidity resistant and corrosion resistant and salt spray proof **Distance Between Mounting Facility Centers:** Between 7.287 inches and 7.317 inches **Board Accommodated Length:** 6.635 inches and 6.665 inches single board **Threaded Device Type:** Mounting hole **Board Accommodated Width:** Between 0.076 inches and 0.079 inches **Mating End Quantity: Contact Position Arrangement Style:** 2 rows of independent contacts inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 3.0 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 1200.0 single mating end single contact grouping **Polarization Method:** Inter-contact polarizing keys Thready Qty Per Inch (tpi): **Thread Size:** 0.112 inches

Terminal Location:

Back single mating end single contact grouping

Contact Material:

Copper alloy single mating end single contact grouping

NSN 5935-00-113-7387

Electrical Receptacle Connector - Page 2 of 2



| • | onta | act | Sur | face | Trea | tma | nt. |
|---|-------|-----|-----|------|------|-----|-----|
| U | Olita | aCl | Sui | iace | Hea | une | ΠL. |

Gold single mating end single contact grouping

Insert Material:

Plastic diallyl phthalate glass filled single mating end

Contact Surface Treatment Specification:

Mil-g-45204, type 2, cl 1 military specification single treatment response single mating end single contact grouping

Terminal Type:

Printed circuit single mating end single contact grouping

Insert Material Specification:

Mil-p-19833, type gdi-30f military specification single material response single mating end

Included Contact Quantity:

130 single mating end single contact grouping

Included Contact Type:

Bifurcated spring single mating end single contact grouping

Color:

Brown

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.130 gold grains, troy

Precious Material:

Gold

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig: A039b0

Mil-std (military Standard):

Mil-g-45204 spec.