Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-113-7387

Thread Class:
2b Thread Direction
Thread Direction:
Right-hand
Body Style:
Straight shape, pc type
Overall Length:
Between 7.585 inches and 7.615 inches
Overall Height:
0.875 inches
Overall Width:
0.500 inches
Environmental Protection:
Vibration resistant and thermal shock resistant and humidity resistant and corrosion resistant and salt spray proof
Distance Between Mounting Facility Centers:
Between 7.287 inches and 7.317 inches
Board Accommodated Length:
6.635 inches and 6.665 inches single board
Threaded Device Type:
Mounting hole
Board Accommodated Width:
Between 0.076 inches and 0.079 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of independent contacts inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
3.0 single mating end single contact grouping
Contact Maximum Ac Voltage Rating In Volts:
1200.0 single mating end single contact grouping
Polarization Method:
Inter-contact polarizing keys
Thready Qty Per Inch (tpi):
40
Thread Size:
0.112 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping



Contact Surface	
Gold single matir	g end single contact grouping
Insert Material:	
Plastic diallyl phtl	nalate glass filled single mating end
Contact Surface	Treatment Specification:
Mil-g-45204, typ	e 2, cl 1 military specification single treatment response single mating end single contact grouping
Terminal Type:	
Printed circuit sin	gle mating end single contact grouping
Insert Material S	-
Mil-p-19833, type	gdi-30f military specification single material response single mating end
Included Contac	t Quantity:
130 single mating	g end single contact grouping
Included Contac	t Туре:
Bifurcated spring	single mating end single contact grouping
Color:	
Brown	
Precious Materia	al And Location:
Contact surfaces	gold
Precious Materi	al And Weight:
0.130 gold grains	, troy
Precious Materia	al:
Gold	
Thread Series D	esignator:
Unc	
Shelf Life:	
N/a	
Unit Of Measure	:
Demilitarization	
No	
Fiig:	
A039b0	
Mil-std (military	Standard):
Mil-g-45204 spec	