Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-132-2724
Body Style:
Straight shape
Overall Length:
1.755 inches
Overall Height:
0.904 inches
Overall Width:
0.614 inches
Unthreaded Mounting Hole Diameter:
0.120 inches
Distance Between Mounting Facility Centers:
1.266 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
"2, 15" single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Polarization Method:
Mating end
Shell Type:
Solid
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and silver single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Terminal Type:
Crimp single mating end single contact grouping
Shell Material:
Aluminum alloy
Shell Surface Treatment:

Cadmium

**Insert Material Specification:** 

Mil-m-14, type sdg military specification single material response single mating end

# **Included Contact Quantity:**

15 single mating end single contact grouping



Included Contact Type:

Round socket single mating end single contact grouping

## **Precious Material And Location:**

Contact surfaces gold and contact surfaces silver

**Precious Material And Weight:** 

0.015 gold grains, troy and 0.015 silver grains, troy

## Precious Material:

Gold and silver

## **Test Data Document:**

98230-0n056048 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,

etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

#### **Specification Data:**

98230-0n056048 government specification

Shelf Life:

N/a

## Unit Of Measure:

--

# Demilitarization:

No

# Fiig:

A039b0

# Mil-std (military Standard):

Mil-m-14 spec.