NSN 5935-00-132-5943

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-132-5943

Body Style:
Angle shape, internal coupling
Overall Length:
1.891 inches
Overall Height:
1.474 inches
Overall Diameter:
1.156 inches
Environmental Protection:
Moisture resistant and salt water resistant and vibration resistant
Mating End Quantity:
1
Contact Position Arrangement Style:
14-12 single mating end
Contact Removability:
Removable single mating end all contact groupings
Contact Maximum Ac Voltage Rating In Volts:
500.0 single mating end all contact groupings
Contact Maximum Dc Voltage Rating In Volts:
700.0 single mating end all contact groupings
Polarization Method:
Keyway or multiple keyway
Insert Position In Deg:
90.0
Shell Type:
Shell Type:
Shell Type: Potting
Shell Type: Potting Connector Locking Method:
Shell Type: Potting Connector Locking Method: Bayonet latch
Shell Type: Potting Connector Locking Method: Bayonet latch Connector Cable Strain Relief Method:
Shell Type: Potting Connector Locking Method: Bayonet latch Connector Cable Strain Relief Method: Potting type
Shell Type: Potting Connector Locking Method: Bayonet latch Connector Cable Strain Relief Method: Potting type Terminal Location:
Shell Type: Potting Connector Locking Method: Bayonet latch Connector Cable Strain Relief Method: Potting type Terminal Location: Back single mating end all contact groupings
Shell Type: Potting Connector Locking Method: Bayonet latch Connector Cable Strain Relief Method: Potting type Terminal Location: Back single mating end all contact groupings Contact Material:
Shell Type: Potting Connector Locking Method: Bayonet latch Connector Cable Strain Relief Method: Potting type Terminal Location: Back single mating end all contact groupings Contact Material: Copper alloy single mating end all contact groupings
Shell Type: Potting Connector Locking Method: Bayonet latch Connector Cable Strain Relief Method: Potting type Terminal Location: Back single mating end all contact groupings Contact Material: Copper alloy single mating end all contact groupings Contact Surface Treatment:
Shell Type: Potting Connector Locking Method: Bayonet latch Connector Cable Strain Relief Method: Potting type Terminal Location: Back single mating end all contact groupings Contact Material: Copper alloy single mating end all contact groupings Contact Surface Treatment: Gold single mating end all contact groupings and silver single mating end all contact groupings
Shell Type: Potting Connector Locking Method: Bayonet latch Connector Cable Strain Relief Method: Potting type Terminal Location: Back single mating end all contact groupings Contact Material: Copper alloy single mating end all contact groupings Contact Surface Treatment: Gold single mating end all contact groupings and silver single mating end all contact groupings Insert Material:
Shell Type: Potting Connector Locking Method: Bayonet latch Connector Cable Strain Relief Method: Potting type Terminal Location: Back single mating end all contact groupings Contact Material: Copper alloy single mating end all contact groupings Contact Surface Treatment: Gold single mating end all contact groupings and silver single mating end all contact groupings Insert Material: Rubber single mating end

Aluminum alloy

NSN 5935-00-132-5943

Electrical Plug Connector - Page 2 of 2



Shell :	Surface	Treatment	t:
---------	---------	-----------	----

Cadmium and chromate

Included Contact Quantity:

8 single mating end 2nd contact grouping

Included Contact Type:

Round pin single mating end all contact groupings

Precious Material And Location:

Contact surface gold and contact surface silver

Precious Material:

Gold and silver

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A039b0