## NSN 5935-00-133-5360

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-133-5360
Thread Class:
2b and 2a and 2a
Thread Direction:
Right-hand and right-hand
Body Style:
Rectangular shape center screwlock
Overall Length:
Between 4.118 inches and 4.138 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
Between 3.798 inches and 3.818 inches
Overall Height:
0.834 inches
Overall Width:
Between 0.687 inches and 0.707 inches
Unthreaded Mounting Hole Diameter:
0.125 inches
Threaded Device Type:
Coupling facility and coupling facility and mounting stud
Mating End Quantity:
1
Contact Position Arrangement Style:
244 single mating end
Polarization Method:
Polarization boss and guide pin/socket
Connector Locking Method:
Post jacksocket
Thready Qty Per Inch (tpi):
32 and 32 and 40
Thread Size:
0.138 inches and 0.138 inches and 0.138 inches
Insert Material:
Plastic diallyl phthalate single mating end or plastic epoxy single mating end
Insert Material Specification:
Mil-m-14, type sdg-f military specification single material response single mating end or mil-p-19833, type gdi-30f military specification
single material response single mating end
Thread Series Designator:
Unc and unc and unc
Shelf Life:
N/a
Unit Of Measure:
<del></del>

No

Demilitarization:

## NSN 5935-00-133-5360

Electrical Receptacle Connector Body - Page 2 of 2



Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.