NSN 5935-00-134-0369

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-134-0369

Body Style:

Straight shape

Overall Length:

1.189 inches

Overall Height:

Between 3.095 inches and 3.125 inches

Overall Width:

Between 1.985 inches and 2.015 inches

Center To Center Distance Between Mounting Facilities Parallel To Height:

1.202 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.437 inches

Distance From Mounting Shoulder To Front Face:

Between 0.751 inches and 0.781 inches

Mating End Quantity:

2

Contact Position Arrangement Style:

57 2nd mating end

Contact Removability:

Nonremovable all mating ends all contact groupings

Contact Maximum Current Rating In Amps:

7.5 2nd mating end all contact groupings

Contact Maximum Ac Voltage Rating In Volts:

1900.0 1st mating end all contact groupings

Shell Type:

Solid

Terminal Location:

Back all mating ends all contact groupings

Contact Material:

Copper alloy all mating ends all contact groupings

Contact Surface Treatment:

Gold all mating ends all contact groupings and silver all mating ends all contact groupings

Insert Material:

Plastic diallyl phthalate all mating ends

Terminal Type:

Solder well all mating ends all contact groupings

Shell Material:

Aluminum alloy

Shell Surface Treatment:

Cadmium

Included Contact Type:

Round socket all mating ends all contact groupings

NSN 5935-00-134-0369

Electrical Receptacle Connector - Page 2 of 2



Precious M	aterial A	and Loc	cation
------------	-----------	---------	--------

Contact surfaces gold and contact surfaces silver

Precious Material And Weight:

0.083 gold grains, troy and 0.083 silver grains, troy

Precious Material:

Gold and silver

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0