

View Online at <https://aerobasegroup.com/nsn/5935-00-134-5338>

**Body Style:**

Straight shape, internal coupling

**Overall Length:**

0.828 inches

**Overall Diameter:**

0.375 inches

**Mating End Quantity:**

2

**Contact Position Arrangement Style:**

Tps all mating ends

**Contact Removability:**

Nonremovable all mating ends all contact groupings

**Contact Maximum Dc Voltage Rating In Volts:**

1000.0 all mating ends all contact groupings

**Contact Maximum Frequency Rating:**

10000.0 megahertz all mating ends all contact groupings

**Shell Type:**

Solid

**Connector Locking Method:**

Bayonet pin

**Radio Frequency Type Contact Characteristic Impedance In Ohms:**

50.0 all mating ends all contact groupings

**Contact Material:**

Copper alloy all mating ends all contact groupings

**Contact Surface Treatment:**

Gold single mating end single contact grouping

**Insert Material:**

Plastic tetrafluoroethylene all mating ends

**Shell Material:**

Copper alloy

**Shell Surface Treatment:**

Gold and silver

**Included Contact Quantity:**

2 all mating ends single contact grouping

**Included Contact Type:**

Coaxial socket all mating ends all contact groupings

**Precious Material And Location:**

Contact and shell surfaces gold and shell surface silver

**Precious Material And Weight:**

0.110 gold grains, troy and 0.100 silver grains, troy

**Precious Material:**

Gold and silver

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A039b0