

View Online at <https://aerobasegroup.com/nsn/5935-00-135-0965>

**Thread Class:**

2a and 2a and 2b

**Thread Direction:**

Right-hand and right-hand and right-hand

**Body Style:**

T-shape

**Overall Length:**

1.125 inches

**Overall Height:**

0.650 inches

**Overall Width:**

0.230 inches

**Environmental Protection:**

Thermal shock resistant and moisture resistant and shock resistant and corrosion resistant and vibration resistant

**Threaded Device Type:**

Coupling facility

**Mating End Quantity:**

3

**Contact Position Arrangement Style:**

Bnc all mating ends

**Contact Removability:**

Nonremovable all mating ends all contact groupings

**Contact Maximum Current Rating In Amps:**

1.5 all mating ends all contact groupings

**Contact Maximum Ac Voltage Rating In Volts:**

400.0 all mating ends all contact groupings

**Shell Type:**

Solid

**Connector Locking Method:**

Externally threaded shell and externally threaded shell and externally threaded coupling nut

**Radio Frequency Type Contact Characteristic Impedance In Ohms:**

500.0 all mating ends all contact groupings

**Thready Qty Per Inch (tpi):**

32 and 32 and 32

**Thread Size:**

0.190 inches and 0.190 inches and 0.190 inches

**Contact Material:**

Copper alloy all mating ends all contact groupings

**Contact Surface Treatment:**

Gold all mating ends all contact groupings

**Insert Material:**

Rubber all mating ends

**Contact Surface Treatment Specification:**

Mil-g-45204, type 2, cl 2 military specification single treatment response all mating ends all contact groupings

**Contact Material Specification:**

Qq-c-530 federal specification single material response all mating ends all contact groupings or qq-c-533 federal specification single material response all mating ends all contact groupings

**Shell Material:**

Copper alloy

**Shell Surface Treatment:**

Gold

**Shell Surface Treatment Specification:**

Mil-g-45204, type 2, cl 2 military specification single treatment response

**Shell Material Specification:**

Qq-b-613 federal specification single material response or qq-b-626 federal specification single material response

**Insert Material Specification:**

Mil-r-5847 military specification single material response all mating ends

**Included Contact Quantity:**

1 2nd mating end single contact grouping

**Included Contact Type:**

Coaxial socket 3rd mating end single contact grouping

**Precious Material And Location:**

Contact and body surfaces gold

**Precious Material And Weight:**

0.103 gold grains, troy

**Precious Material:**

Gold

**Thread Series Designator:**

Unf and unf and unf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A039b0

**Mil-std (military Standard):**

Mil-g-45204 spec.