## NSN 5935-00-138-3481

**Thread Class:** 

Right-hand **Body Style:** 

**Thread Direction:** 

2a

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-138-3481

Straight shape
Overall Length:
0.700 inches
Overall Height:
0.570 inches
Overall Width:
0.210 inches
Distance Between Mounting Facility Centers:
0.482 inches
Threaded Device Type:
Mounting stud
Mating End Quantity:
1
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Polarization Method:
Guide pin/socket
Thread Length:
0.220 inches
Thready Qty Per Inch (tpi):
56
Thread Size:
0.073 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Terminal Type:
Solder well single mating end single contact grouping
Insert Material Specification:

Mil-m-14, type mdg-f military specification single material response single mating end

## NSN 5935-00-138-3481

Electrical Receptacle Connector - Page 2 of 2



## **Included Contact Quantity:** 5 single mating end single contact grouping **Included Contact Type:** Round pin single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.005 gold grains, troy **Precious Material:** Gold **Thread Series Designator:** Unc Shelf Life: N/a **Unit Of Measure:** Demilitarization: No

Mil-std (military Standard):

Mil-m-14 spec.

Fiig: A039b0