Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-138-5123

## **Thread Class:**

2b and 2a

# **Thread Direction:**

Right-hand and right-hand

# Body Style:

Angle shape, external coupling

## **Overall Length:**

0.750 inches

### **Overall Height:**

0.625 inches

### **Overall Diameter:**

### 0.313 inches

## **Distance From Mounting Shoulder To Front Face:**

0.372 inches

### **Threaded Device Type:**

Coupling facility and mounting bushing

## Mating End Quantity:

1

## **Contact Position Arrangement Style:**

Nonstd single mating end

## **Contact Removability:**

Nonremovable single mating end single contact grouping

#### Shell Type:

Solid

## **Connector Locking Method:**

Internally threaded coupling nut

## Radio Frequency Type Contact Characteristic Impedance In Ohms:

50.0 single mating end single contact grouping

## **End Application:**

20liver perry class ffg, sirius class t-afs 8, forrestal class cv, virginia class cgn (41), spruance class dd (963), supply class aoe, wasp class lhd, tarawa class lha, emory s. Land class as, austin ship class lpd-4 amphibious transport docks

### Thread Length:

0.228 inches

### **Thread Size:**

0.190 inches and 0.190 inches

#### **Terminal Location:**

Back single mating end single contact grouping

### **Contact Material:**

Copper alloy single mating end single contact grouping

### **Contact Surface Treatment:**

Gold and copper single mating end single contact grouping

# Insert Material:

Plastic tetrafluoroethylene single mating end

Electrical Receptacle Connector - Page 2 of 2



**Criticality Code Justification:** Feat **Terminal Type:** Solder well single mating end single contact grouping **Shell Material:** Copper alloy **Shell Surface Treatment:** Gold and copper **Shell Material Specification:** Qq-b-626, comp 22 federal specification single material response **Included Contact Quantity:** 1 single mating end single contact grouping **Bushing Accommodation Hole Shape:** Round **Included Contact Type:** Coaxial socket single mating end single contact grouping **Special Features:** Weapon system essential **Precious Material And Location:** Contact and body surfaces gold **Precious Material And Weight:** 

0.101 gold grains, troy

Precious Material:

Gold

**Thread Series Designator:** 

Unf and unf

Shelf Life:

N/a

Unit Of Measure:

--

**Demilitarization:** 

No

Fiig:

A039b0