NSN 5935-00-139-2689

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-139-2689 **Thread Class:** 2g **Thread Pitch Diameters:** +2.986 to 3.000 inches **Thread Direction:** Right-hand **Body Style:** Straight shape, internal coupling w/strain relief **Body Length:** 11.726 inches **Overall Diameter:** Between 3.547 inches and 3.579 inches **Environmental Protection:** Moisture resistant and vibration resistant and shock resistant **Cable Entrance Diameter:** 2.280 inches **Threaded Device Type:** Coupling facility **Mating End Quantity: Contact Position Arrangement Style:** 24-354 single mating end **Contact Removability:** Removable single mating end all contact groupings **Contact Maximum Current Rating In Amps:** 73.0 single mating end 1st contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 500.0 single mating end all contact groupings **Contact Maximum Dc Voltage Rating In Volts:** 700.0 single mating end all contact groupings **Polarization Method:** Keyway or multiple keyway

Insert Position In Deg: 0.0 **Shell Type:** Solid **Connector Locking Method:** Externally threaded coupling ring **Connector Cable Strain Relief Method:** Cable clamp Thread Length: 0.813 inches

NSN 5935-00-139-2689Electrical Plug Connector - Page 2 of 2



Thready Qty Per Inch (tpi):
4
Thread Size:
3.000 inches
Terminal Location:
Back single mating end all contact groupings
Contact Material:
Copper alloy single mating end all contact groupings
Contact Surface Treatment:
Gold single mating end all contact groupings and silver single mating end all contact groupings
Insert Material:
Rubber single mating end
Terminal Type:
Crimp single mating end all contact groupings
Shell Material:
Aluminum alloy 6061
Shell Surface Treatment:
Anodize
Shell Material Specification:
Qq-a-325, gr t6 federal specification single material response
Included Contact Quantity:
61 single mating end 3rd contact grouping
Included Contact Type:
Round socket single mating end all contact groupings
Precious Material And Location:
Contact surfaces gold and contact surfaces silver
Precious Material And Weight:
0.131 gold grains, troy and 0.131 silver grains, troy
Precious Material:
Gold and silver
Thread Series Designator:
Acme
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No
Fiig:
A039b0